UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/675,700	09/29/2000	Daryl D. Starr	ALA-010B	9585
24501 MARK A LAU	7590 07/15/200 ER	EXAMINER		
6601 KOLL CENTER PARKWAY			BURGESS, BARBARA N	
	SUITE 245 PLEASANTON, CA 94566			PAPER NUMBER
			2457	
			MAIL DATE	DELIVERY MODE
			07/15/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	09/675,700	STARR ET AL.
Office Action Summary	Examiner	Art Unit
	BARBARA N. BURGESS	2457
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTH OF THE M	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tird d will apply and will expire SIX (6) MONTHS from tte, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 20. This action is FINAL . 2b) ☐ The 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1-7 and 21-33 is/are pending in the 4a) Of the above claim(s) is/are withdres 5) Claim(s) is/are allowed. 6) Claim(s) 1-7 and 21-33 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/	awn from consideration.	
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) according a constant may not request that any objection to the Replacement drawing sheet(s) including the correct of the oath or declaration is objected to by the Examiration.	ccepted or b) objected to by the education of common or by the learning of the drawing of the dr	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Bures * See the attached detailed Office action for a list.	nts have been received. nts have been received in Applicati ority documents have been receive au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 2-18-09, 2-25-08, 2-4-09.	4) Interview Summary Paper No(s)/Mail D: 5) Notice of Informal F 6) Other:	ate

DETAILED ACTION

This Office Action is in response to Appeal Brief filed April 20, 2009. Examiner has withdrawn the finality of claims 1-7, 21-33. These claims are presented for further examination.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1, 3-4, 21, 23, 28-31, 33 are rejected under 35 U.S.C. 102(e) as being anticipated by Elzur (US Patent 6,427,169 B1).

As per claim 1, Elzur discloses an interface device for a computer, the interface device connectable to a network and storage unit, the storage unit including a disk drive, the interface device comprising:

 A sequencer including a hardware logic circuit configured to process a transport layer header of a network packet (column 2, lines 43-47, 55-58, 64-67, column 3, lines 1-4); A memory adapted to store control information regarding a network connection being handled by said device (column 4, lines 2-4, 15-17, 62-67);

- A mechanism for associating said packet with said control information (column 4, lines 20-30, column 5, lines 5-10).
- selecting whether to process said packet by said computer or to send data from said packet to the storage unit, thereby avoiding the computer (column 5, lines 59-65, column 6, lines 7-10, 42-52);
- the storage unit including a disk drive (column 11, lines 57-64).

As per claim 3, Elzur discloses the interface device of claim 1, further comprising a plurality of network ports, wherein one of the said network ports is connectable to the storage unit (column 4, lines 43-45, column 6, lines 49-50, column 11, lines 28-30).

As per claim 4, Elzur discloses the interface device of claim 1, further comprising a Fibre Channel controller connectable to the storage unit (column 3, lines 46-60).

As per claim 21, Elzur discloses an interface device for a computer, the interface device connectable to a network and a storage unit, the storage unit including a disk drive, the interface device comprising:

A receive mechanism that processes a Transmission Control Protocol (TCP) header
 of a network packet (column 2, lines 43-47, 55-58, 64-67, column 3, lines 1-4);

Application/Control Number: 09/675,700 Page 4

Art Unit: 2457

 A memory storing a combination of information describing an established TCP connection (column 4, lines 2-4, 15-17, 62-67);

- A processing mechanism that associates said packet with said information (column
 4, lines 20-30, column 5, lines 5-10);
- selecting whether to process said packet by said computer or to send data from said packet to the storage unit, thereby avoiding the computer (column 5, lines 59-65, column 6, lines 7-10, 42-52);
- the storage unit including a disk drive (column 11, lines 57-64).

As per claim 23, Elzur discloses the interface of claim 21, further comprising a Fibre Channel controller connectable to the storage unit (column 3, lines 46-60).

As per claim 28, Elzur discloses a method for operating an interface device for a computer, the interface device connectable to a network and a storage unit, the storage unit including a disk drive, the method comprising:

- Receiving, by the interface device from the network, a packet containing data and a
 Transmission Control Protocol (TCP) header (column 2, lines 43-47, 55-58, 64-67,
 column 3, lines 1-4);
- Processing, by the interface device, the TCP header (column 2, lines 43-47, 55-58,
 64-67, column 3, lines 1-4);
- Storing, on the interface device, information regarding a TCP connection (column 4, lines 2-4, 15-17, 62-67);

Application/Control Number: 09/675,700 Page 5

Art Unit: 2457

 Associating, by the interface device, the packet with the TCP connection (column 4, lines 20-30, column 5, lines 5-10);

- Selecting, by the interface device, whether to process the packet by the computer or to send the data from the packet to the storage unit, thereby avoiding the computer (column 5, lines 59-65, column 6, lines 7-10, 42-52);
- the storage unit including a disk drive (column 11, lines 57-64).

As per claim 29, Elzur discloses the method of claim 28, further comprising creating, by the computer, the information regarding the TCP connection (column 4, lines 35-50).

As per claim 30, Elzur discloses the method of claim 28, wherein the interface device includes a network port, and the packet is received via the port and the data is sent to the storage unit via the port (column 4, lines 43-45, column 6, lines 49-50, column 11, lines 28-30).

As per claim 31, Elzur discloses the method of claim 28, wherein the interface device includes first and second network ports, and the packet is received via the first port and the data is sent to the storage unit via the second port (column 4, lines 43-45, column 6, lines 49-50, column 11, lines 28-30).

As per claim 33, Elzur discloses the method of claim 28, further comprising adding a network protocol header to the data for sending the data to the storage unit (column 7, lines 35-49).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 2, 5, 22, 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elzur (US Patent 6,427,169 B1) in view of Day et al. (hereinafter "Day", US Patent 6065096).

As per claims 2 and 22, Elzur discloses the interface device of claims 1 and 21. Elzur does not explicitly disclose the interface further comprising a SCSI controller connectable to the storage unit.

However, Day discloses SCSI interface channels attached to disk drives (column 2, lines 40-54, column 5, lines 1-25).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate in Day's interface comprising a SCSI controller in Elzur's device in order to provide for a simple, lower cost RAID

controller architecture to enable lower cost and complexity associated with high performance and high reliability storage subsystems.

As per claims 5 and 25, Elzur discloses the network interface device of claims 1 and 21.

Elzur does not explicitly disclose the interface further comprising a RAID controller connectable to the storage unit.

However, Day discloses a RAID controller that integrates onto a single integrated circuit of a general-purpose processor (column 2, lines 11-25, 55-67).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate Day's interface comprising a RAID controller in Elzur's device allowing the disk interface connections and protocols to be more flexibly selected but at the cost of less integration within the circuit.

2. Claims 6-7, 24, 26-27, 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elzur (US Patent 6,427,169 B1) in view of Muller et al. (hereinafter "Muller", US Patent 6,453,360 B1).

As per claim 6, Elzur does not explicitly discloses the network interface device of claim 1, further comprising a file cache adapted to store said data.

However, the use and advantages for using such cache is well-known to one of ordinary skill in the art as evidenced by Muller (column 56, lines 20-30, column 58, lines 26-30).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate Muller's file cache in Elzur's device in order to store non-assembled packets.

As per claim 7, Elzur does not explicitly discloses further discloses the network interface device of claim 1, further comprising a file cache adapted to store said data under control of a file system in the host.

However, the use and advantages for using such cache is well-known to one of ordinary skill in the art as evidenced by Muller (column 56, lines 20-30, column 58, lines 26-30).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate Muller's file cache in Elzur's device in order to store non-assembled packets.

As per claim 24, Elzur does not explicitly discloses the interface device of claim 21, further comprising a file cache adapted to store said data.

However, the use and advantages for using such cache is well-known to one of ordinary skill in the art as evidenced by Muller (column 56, lines 20-30, column 58, lines 26-30).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate Muller's file cache in Elzur's device in order to store non-assembled packets.

As per claim 26, Elzur does not explicitly discloses the network interface of claim 21, further comprising a file cache adapted to store said data.

However, the use and advantages for using such cache is well-known to one of ordinary skill in the art as evidenced by Muller (column 56, lines 20-30, column 58, lines 26-30).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate Muller's file cache in Elzur's device in order to store non-assembled packets.

As per claim 27, Elzur does not explicitly discloses the network device of claim 21, further comprising a file cache adapted to store said data under control of a file system in the computer.

However, the use and advantages for using such cache is well-known to one of ordinary skill in the art as evidenced by Muller (column 56, lines 20-30, column 58, lines 26-30).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate Muller's file cache in Elzur's device in order to store non-assembled packets.

As per claim 32, Elzur does not explicitly discloses the method of claim 28, further comprising storing the data on a file cache of the interface device.

However, the use and advantages for using such cache is well-known to one of ordinary skill in the art as evidenced by Muller (column 56, lines 20-30, column 58, lines 26-30).

Therefore, one of ordinary skill in the art at the time the invention was made would have found it obvious to implement or incorporate Muller's file cache in Elzur's device in order to store non-assembled packets.

Response to Arguments

3. Applicant's arguments been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BARBARA N. BURGESS whose telephone number is (571)272-3996. The examiner can normally be reached on M-F (8:00am-4:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/675,700 Page 11

Art Unit: 2457

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/ARIO ETIENNE/ Supervisory Patent Examiner, Art Unit 2457

July 14, 2009

Barbara N Burgess Examiner Art Unit 2457